

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/26/2016

SECTION 4: Identification	
SECTION 1: Identification	
1.1. Identification	
	: Mixture
	: B-ZAP
Product code	: EP8003
1.2. Relevant identified uses of the substa	ince or mixture and uses advised against
No additional information available	
1.3. Details of the supplier of the safety da	ata sheet
ECOLINE INDUSTRIAL SUPPLY P.O. Box 4236 Chatsworth CA 91313 T 800-425-8070	
1.4. Emergency telephone number	
Chemtrec 800-424-9300	
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	tture
GHS-US classification	
Flammable liquids, Category 4	Combustible liquid
Acute toxicity (oral), Category 4	Harmful if swallowed
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	
o ()	GHS07 CHS07
Hazard statements (GHS-US)	: Combustible liquid
	Harmful if swallowed
Precautionary statements (GHS-US)	 Keep away from open flames, heat No smoking Wash hands thoroughly after handling Do not eat, drink or smoke when using this product Wear eye protection, protective gloves If swallowed: Call a doctor if you feel unwell Rinse mouth In case of fire: Use ABC-powder to extinguish Store in a well-ventilated place. Keep cool Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/information	on ingredients
3.1. Substance	
Not applicable	
3.2. Mixture	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
PERFUMES		6 - 10	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Inhalation:dust,mist), H332
2-propanol	(CAS No) 67-63-0	1 - 3	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.
4.3. Indication of any immediate media	cal attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	asures
	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. No	tify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4 Poterance to other sections	

6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

3.1. Control parameters			
PERFUMES			
Not applicable			
2-propanol (67-63-0)			
ACGIH	ACGIH TWA (ppm)	200 ppm	
ACGIH	ACGIH STEL (ppm)	400 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair	
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	400 ppm	

8.2. **Exposure controls**

Personal protective equipment

: Gloves. Safety glasses.



Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	nd chemical properties
Physical state	: Liquid
Colour	: Colourless
Odour	: Vanilla
Odour threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
vapour pressure	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	 Water: Solubility in water of component(s) of the mixture : ISOPAR L, EXXON MOBIL: < 0.1 g/100ml 2-propanol: Complete
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
Highly	flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
10.3.	Possibility of hazardous reactions
Not est	ablished.
10.4.	Conditions to avoid
Direct s	sunlight. Extremely high or low temperatures. Open flame.
10.5.	Incompatible materials
Strong	acids. Strong bases.
10.6.	Hazardous decomposition products
Carbor	i monoxide. Carbon dioxide. May release flammable gases.

Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Oral: Harmful if swallowed.

V-ZAP	
ATE US (oral)	720.000 mg/kg bodyweight
PERFUMES	
LD50 oral rat	72 mg/kg
LC50 inhalation rat (mg/l)	1.44 mg/l/4h
ATE US (oral)	72.000 mg/kg bodyweight
ATE US (vapours)	1.440 mg/l/4h
ATE US (dust,mist)	1.440 mg/l/4h
2-propanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (dermal)	12870.000 mg/kg bodyweight
ATE US (vapours)	73.000 mg/l/4h
ATE US (dust,mist)	73.000 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2-propanol (67-63-0)	
IARC group	3 - Not classifiable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed.
Symptoms/injuries after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

Toxicity 12.1.

PERFUMES		
LC50 other aquatic organisms 1	61.4344 mg/l	
2-propanol (67-63-0)		
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)	
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)	
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)	

12.2. Persistence and degradability

V-ZAP		
Persistence and degradability	Not established.	
PERFUMES		
Persistence and degradability	Not established.	
2-propanol (67-63-0)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. Not established.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.40 g O ₂ /g substance	

12.3. **Bioaccumulative potential**

B-ZAP		
Bioaccumulative potential	Not established.	
PERFUMES		
Bioaccumulative potential	Not established.	
2-propanol (67-63-0)		
Log Pow	0.05 (Weight of evidence approach; Other; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.	

12.4. Mobility in soil

2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	
12.5. Other adverse effects		
Effect on the global warming	: No known ecological damage caused by this product.	
Other information	: Avoid release to the environment.	

01/26/2016	EN (English)		E/7	
Additional information : Handle empty containers with care beca		care because residual vapours are flammable.		
Waste disposal recommendations	: Dispose in a safe manner in a contents/container to an appr	ccordance with local/national regulations. Dispose wed waste disposal plant.	e of	
13.1. Waste treatment methods				
SECTION 13: Disposal considerations				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - waste materials

: Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information		
15.1. US Federal regulations		
V-ZAP		
Not listed on the United States TSCA (Toxic Substances C	Control Act) inventory	
All components of this product are listed, or excluded from Substances Control Act (TSCA) inventory except for:	l listing, on the United States Environn	nental Protection Agency Toxic
PERFUMES	CAS No	0 400/
PERFUMES	CAS NO	6 - 10%
Chemical(s) subject to the reporting requirements of Section 1986 and 40 CFR Part 372.		

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

2-propanol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Other information

: None.

Full text of H-statements:

H225	Highly flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible	
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Personal Protection	: B	
	B - Safety glasses, Gloves	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product