# SAFETY DATA SHEET



# **SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION**

Product ID: ECOLINE ZESTY HAND WIPES DATE PRINTED: 2/23/23

Product Name: ECOLINE ZESTY HAND WIPES

Supersedes Date: Nov 21, 2016

Product Name: ECOLINE ZESTY HAND WIPES

Revision Date: Oct 14, 2021

Version: 1.1

Distributor's Name: ECOLINE INDUSTRIAL SUPPLY INC.

Address: PO BOX 4236 - CHATSWORTH, CA 91313

**Emergency Phone :** 1-800-424-9300 **Information Phone :** (800) 425-8070

Fax:

Product/Recommended Uses: Hand and Surface Towels

# **SECTION 2) HAZARDS IDENTIFICATION**

### Classification:

Not classified

### Pictograms:

No pictograms available.

#### **Hazardous Statements:**

No hazardous statements available.

### **Precautionary Statements - General:**

No precautionary statement available.

#### **Precautionary Statements - Prevention:**

No precautionary statement available.

#### **Precautionary Statements - Response:**

No precautionary statement available.

### **Precautionary Statements - Storage:**

No precautionary statement available.

### **Precautionary Statements - Disposal:**

No precautionary statement available.

# **SECTION 3) COMPOSITION / INFORMATION ON INGREDIENTS**

CAS	Chemical Name	% by Weight
0007732-18-5	WATER	81% - 100%
0068439-46-3	Ethoxylated alcohols (C9 - C11)	2% - 5%
0001119-40-0	DIMETHYL GLUTARATE	2% - 4%
0000057-55-6	PROPYLENE GLYCOL	0.1% - 1.9%
0000627-93-0	DIMETHYL ADIPATE	0.1% - 1.9%

# **SECTION 4) FIRST-AID MEASURES**

Inhalation:

Remove source of exposure or move person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If breathing has stopped, trained personnel should begin rescue breathing or, if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation(AED).

#### **Eye Contact:**

Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention.

#### Skin Contact:

Take off immediately contaminated clothing. Rinse skin with water/shower for 5 minutes or until product is removed. Store contaminated clothing under water and wash before re-use or discard.

### Ingestion:

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. If vomiting occurs naturally, lie on your side, in the recovery position.

### **SECTION 5) FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media:

Will not burn. Use extinguishing media suitable for surrounding fire.

#### Specific Hazards in Case of Fire:

None.

### Fire-Fighting Procedures:

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **Special Protective Actions:**

Wear protective pressure self-contained breathing apparatus (SCBA)and full turnout gear.

### **SECTION 6) ACCIDENTAL RELEASE MEASURES**

#### **Emergency Procedure:**

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Do not touch or walk through spilled material.

Isolate hazard area and keep unnecessary people away. Remove all possible sources of ignition in the surrounding area. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

Dike area to prevent spreading of spilled

material. Cover with an inert absorbent, shovel into appropriate containers and dispose of in accordance with federal, state and local regulations.

#### **Recommended Equipment:**

None needed.

### **Personal Precautions:**

Avoid breathing vapor. Avoid contact with skin, eye or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

#### **Environmental Precautions:**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

# **SECTION 7) HANDLING AND STORAGE**

### General:

Wash hands after use.

Do not get in eyes, on skin or on clothing.

Do not breathe vapors or mists.

Use good personal hygiene practices.

Eating, drinking and smoking in work areas is prohibited.

Remove contaminated clothing and protective equipment before entering eating areas.

#### **Ventilation Requirements:**

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source.

#### Storage Room Requirements:

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well-ventilated areas away from heat, direct sunlight and incompatibilities. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty container retain residue and may be dangerous.

Do not cut, drill, grind, weld, or perform similar operations on or near containers. Do not pressurize containers to empty them.

### **SECTION 8) EXPOSURE CONTROLS, PERSONAL PROTECTION**

#### **Eye Protection:**

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for entire face, use in combination with a face shield.

#### Skin Protection:

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use of an apron and over- boots of chemically impervious materials such as neoprene or nitrile rubber is recommended to avoid skin sensitization. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

#### **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter.

#### **Appropriate Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	OSHA TWA (ppm)	OSHA TWA (mg/m3)	OSHA STEL (ppm)	OSHA STEL (mg/m3)	OSHA- Tables- Z1,2,3	OSHA Carcinogen	OSHA Skin designation	NIOSH TWA (ppm)	NIOSH TWA (mg/m3)	NIOSH STEL (ppm)	NIOSH STEL (mg/m3)	NIOSH Carcinogen
No applicable chemical	-	-	-	-	-	-	-	-	-	-	-	-

Chemical Name	ACGIH	ACGIH	ACGIH	ACGIH
	TWA	TWA	STEL	STEL
	(ppm)	(mg/m3)	(ppm)	(mg/m3)
No applicable chemical	-	-	-	-

### **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

#### **Physical and Chemical Properties**

Density	7.54 lb/gal
% Solids By Weight	0.00%
Density VOC	0.00 lb/gal
% VOC	0.00%
VOC Actual	0.00 lb/gal
VOC Actual	0.00 g/l
Appearance	Clear

Flammability Will not burn
Flash Point Symbol N.A.
Flash Point N.A.
Viscosity N.A.
Lower Explosion Level N.A.
Upper Explosion Level N.A.

Vapor Pressure N.A. Melting Point N.A. Vapor Density N.A. Freezing Point N.A. Low Boiling Point >210 High Boiling Point N.A. Decomposition Pt N.A. Auto Ignition Temp N.A. **Evaporation Rate** N.A.

## **SECTION 10) STABILITY AND REACTIVITY**

VOC Composite Partial Pressure

### Stability:

The product is stable under normal storage conditions.

N.A.

#### **Conditions to Avoid:**

None.

### Incompatible Materials:

None known.

# **Hazardous Reactions/Polymerization:**

Will not occur.

### **Hazardous Decomposition Products:**

None known.

# **SECTION 11) TOXICOLOGICAL INFORMATION**

### Skin Corrosion/Irritation:

No data available

# Serious Eye Damage/Irritation:

No data available

### Carcinogenicity:

No data available

### **Germ Cell Mutagenicity:**

No data available

# Reproductive Toxicity:

No data available

### Respiratory/Skin Sensitization:

No data available

# **Specific Target Organ Toxicity - Single Exposure:**

No data available

### **Specific Target Organ Toxicity - Repeated Exposure:**

No data available

# **Aspiration Hazard:**

No data available

**Acute Toxicity:** 

### **SECTION 12) ECOLOGICAL INFORMATION**

Toxicity:

No data available.

Persistence and Degradability:

No data available.

**Bio-Accumulative Potential:** 

No data available.

Mobility in Soil:

No data available.

Other Adverse Effects:

No data available.

# **SECTION 13) DISPOSAL CONSIDERATIONS**

### Water Disposal:

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

# **SECTION 14) TRANSPORT INFORMATION**

**U.S. DOT Information:** 

Not regulated

**IMDG Information:** 

Not regulated

**IATA Information:** 

Not regulated

# **SECTION 15) REGULATORY INFORMATION**


CAS	Chemical Name	% By Weight	Regulation List
0000057-55-6	PROPYLENE GLYCOL	0.1% - 1.9%	SARA312,TSCA
0000627-93-0	DIMETHYL ADIPATE	0.1% - 1.9%	SARA312,TSCA
0001119-40-0	DIMETHYL GLUTARATE	2% - 4%	SARA312,TSCA
0007732-18-5	WATER	81% - 100%	TSCA
0068439-46-3	Ethoxylated alcohols (C9 - C11)	2% - 5%	SARA312,TSCA

# **SECTION 16) OTHER INFORMATION**

Glossary:

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL- Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self-Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ - Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA - Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

KEEP AWAY FROM CHILDREN FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY FOR USE BY TRAINED PERSONNEL ONLY KEEP CONTAINER CLOSED DURING STORAGE



### **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.