SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product number: : EA709-CA

Product identifies

SUPER PENETRANT CA 20-14 OZ

Recommended restrictions

Recommended use: Lubricant
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Ecoline Industrial Supply Inc.
Address: PO Box 4236 Chatsworth, CA 91313

Telephone: 1-800-425-8070

Emergency telephone number: Chemtrec: 1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Gases under pressure	Compressed gas

Health Hazards

Toxic to reproduction	Category 2
Aspiration Hazard	Category 1

Environmental Hazards

Chronic hazards to the aquatic environment	Category 1

Label Elements

Hazard Symbol:

Signal Word: Danger

Hazard Statement: Contains gas under pressure; may explode if heated.
Suspected of damaging fertility or the unborn child.
May be fatal if swallowed and enters airways.
Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.

Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. IF exposed or concerned: Get medical advice/attention. Collect spillage.

Storage: Protect from sunlight. Store in a well-ventilated place. Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
White mineral oil (petroleum)	8042-47-5	50 - <100%
Octamethyleyclotetrasiloxane	556-67-2	3 - <5%
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	34590-94-8	1 - <5%
Carbon dioxide	124-38-9	1 - <5%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

Inhalation: Move to fresh air.

Skin Contact: Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

Eye contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.

Ingestion: Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Personal Protection for First-aid Responders: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Stop flow of gas. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Pressurized container may explode when exposed to heat or flame.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: No data available.

Accidental release measures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): No data available.

Safe handling advice: Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

Contact avoidance measures: No data available.

Storage

Safe storage conditions: Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.Aerosol Level 2

Safe packaging materials: No data available.

Storage Temperature: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values		Source
White mineral oil (petroleum) - Mist.	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
White mineral oil (petroleum) - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	STEL	150 ppm	900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	100 ppm	600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	150 ppm	900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	150 ppm		US. ACGIH Threshold Limit Values, as amended
	REL	100 ppm	600 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	100 ppm	600 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	100 ppm		US. ACGIH Threshold Limit Values, as amended
Carbon dioxide	TWA	5,000 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	30,000 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	30,000 ppm	54,000 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL	5,000 ppm	9,000 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	5,000 ppm	9,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	10,000 ppm	18,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL	30,000 ppm	54,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Distillates (petroleum), hydrotreated heavy naphthenic	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Distillates (petroleum), hydrotreated heavy naphthenic - Mist.	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Distillates (petroleum), hydrotreated heavy naphthenic	Ceil_ Time		1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended

Distillates (petroleum), hydrotreated heavy naphthenic - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), hydrotreated heavy naphthenic	REL		350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO - Mist.	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates, Petroleum, Hydrotreated Light Naphthenic - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Distillates, Petroleum, Hydrotreated Light Naphthenic	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Distillates, Petroleum, Hydrotreated Light Naphthenic - Mist.	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates, Petroleum, Hydrotreated Light Naphthenic	Ceil_ Time		1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL		350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates, Petroleum, Hydrotreated Light Naphthenic - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), solvent-dewaxed heavy paraffinic	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Distillates (petroleum), solvent-dewaxed heavy paraffinic - Mist.	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Distillates (petroleum), solvent-dewaxed heavy paraffinic - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Ceil_ Time		1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	REL		350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates (petroleum), hydrotreated light paraffinic - Mist.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

Distillates (petroleum), hydrotreated light paraffinic - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Distillates (petroleum), solvent-dewaxed light paraffinic - Mist.	STEL		10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL		5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Distillates (petroleum), solvent-dewaxed light paraffinic - Inhalable fraction.	TWA		5 mg/m3	US. ACGIH Threshold Limit Values, as amended
Acetic acid, pentyl ester	REL	100 ppm	525 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	TWA	50 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	100 ppm		US. ACGIH Threshold Limit Values, as amended
	PEL	100 ppm	525 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	100 ppm	525 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Acetic acid ethyl ester	REL	400 ppm	1,400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	400 ppm	1,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	400 ppm	1,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	400 ppm		US. ACGIH Threshold Limit Values, as amended

Exposure guidelines

Propanol, 1(or 2)-(2-methoxymethylethoxy)-	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol

Color: No data available.

Odor: No data available.

Odor Threshold: No data available.

pH: No data available.

Freezing point: No data available.

Boiling Point:	No data available.
Flash Point:	108 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	Non-flammable Aerosol
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	4,481 - 5,860 hPa (20 °C)
Vapor density (air=1):	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility in Water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Self Ignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral
Product: Not classified for acute toxicity based on available data.

Dermal
Product: Not classified for acute toxicity based on available data.

Inhalation
Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity
Product: No data available.

Components:

White mineral oil (petroleum)	NOAEL (Rat(Female, Male), Oral, 90 d): >= 20,000 ppm(m) Oral Experimental result, Key study
Octamethyleyclotetrasiloxane	NOAEL (Rat(Female, Male), Inhalation, 13 Weeks): 480 ppm(m) Inhalation Experimental result, Supporting study
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	NOAEL (Rat(Female, Male), Oral, 4 Weeks): 200 mg/kg Oral Experimental result, Key study NOAEL (Rabbit(Female, Male), Dermal, 90 d): 2,850 mg/kg Dermal Experimental result, Key study

Skin Corrosion/Irritation
Product: No data available.

Components:

White mineral oil (petroleum)	in vivo (Rabbit): Not irritant
Octamethyleyclotetrasiloxane	in vivo (Rabbit): Not irritant
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	in vivo Not irritant

Serious Eye Damage/Eye Irritation
Product: No data available.
Components:

White mineral oil (petroleum)	Rabbit, 24 - 72 hrs: Not irritating
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization
Product: No data available.

Components:

White mineral oil (petroleum)	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	Skin sensitization:, in vivo (Human): Non sensitising

Carcinogenicity
Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:
No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:
No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:
No carcinogenic components identified

Germ Cell Mutagenicity

In vitro
Product: No data available.

In vivo
Product: No data available.

Reproductive toxicity
Product: No data available.

Components:

Octamethyleyclotetrasiloxane	Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure
Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure
Product: No data available.

Aspiration Hazard
Product: No data available.

Components:

White mineral oil (petroleum)	May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish
Product: No data available.

Components:

White mineral oil (petroleum)	NOAEL (Oncorhynchus mykiss, 96 h): >= 100 mg/l Experimental result, Key study
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	LC 50 (96 h): > 1,000 mg/l Experimental result, Key study

Aquatic Invertebrates
Product: No data available.

Components:

White mineral oil (petroleum)	NOAEL (Daphnia magna, 48 h): >= 100 mg/l Experimental result, Key study
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	LC 50 (Daphnia magna, 48 h): 1,919 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: NOEC : Estimated < 0.1 mg/l

Aquatic Invertebrates

Product: No data available.

Components:

White mineral oil (petroleum)	NOAEL (Daphnia magna): >= 1,000 mg/l QSAR QSAR, Supporting study
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	NOAEL (Daphnia magna): 0.5 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Components:

White mineral oil (petroleum)	31 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Supporting study
Octamethyleyclotetrasiloxane	3.7 % (29 d) Detected in water. Experimental result, Key study
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	96 % Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Components:

Octamethyleyclotetrasiloxane	Pimephales promelas, Bioconcentration Factor (BCF): 12,400 Aquatic sediment Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Components:

White mineral oil (petroleum)	No data available.
Octamethyleyclotetrasiloxane	No data available.
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	No data available.
Carbon dioxide	No data available.

Other adverse effects: Very toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, non-flammable
Transport Hazard Class(es)	
Class:	2.2
Label(s):	–
EmS No.:	
Packing Group:	II
Special precautions for user:	Not regulated.

IATA

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, non-flammable
Transport Hazard Class(es):	
Class:	2.2
Label(s):	–
Packing Group:	–
Special precautions for user:	Not regulated.
Other information	
Passenger and cargo aircraft:	Allowed. 203
Cargo aircraft only:	Allowed. 203

IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, non-flammable
Transport Hazard Class(es)	
Class:	2
Label(s):	–
EmS No.:	F-D, S-U
Packing Group:	–
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity
UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY
RCRA HAZARDOUS WASTE NO. D001
AMYL ACETATE
ETHYL ACETATE
Terpenes and Terpenoids, sweet orange-oil

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Gas under pressure, Reproductive toxicity, Aspiration Hazard

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances
None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required
None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65
No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act
Chemical Identity
White mineral oil (petroleum)
Propanol, 1(or 2)-(2-methoxymethylethoxy)-
Carbon dioxide
Distillates (petroleum), hydrotreated heavy naphthenic
Distillates (petroleum), hydrotreated heavy paraffinic <3% DMSO
Distillates, Petroleum, Hydrotreated Light Naphthenic
Distillates (petroleum), solvent-dewaxed heavy paraffinic
Distillates (petroleum), hydrotreated light paraffinic
Distillates (petroleum), solvent-dewaxed light paraffinic

US. Massachusetts RTK - Substance List
Chemical Identity
Distillates, Petroleum, Hydrotreated Light Naphthenic
Distillates (petroleum), hydrotreated light paraffinic
Distillates (petroleum), solvent-dewaxed light paraffinic

US. Pennsylvania RTK - Hazardous Substances
Chemical Identity
White mineral oil (petroleum)
Propanol, 1(or 2)-(2-methoxymethylethoxy)-
Carbon dioxide

US. Rhode Island RTK
No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol
Not applicable

Stockholm convention
Not applicable

Rotterdam convention
Not applicable

Kyoto protocol

Inventory Status:

EINECS, ELINCS or NLP	Not in compliance with the inventory.
Japan (ENCS) List	Not in compliance with the inventory.
China Inv. Existing Chemical Substances	Not in compliance with the inventory.
Canada NDSL Inventory	Not in compliance with the inventory.
Japan ISHL Listing	Not in compliance with the inventory.
Japan Pharmacopoeia Listing	Not in compliance with the inventory.
Mexico INSQ	Not in compliance with the inventory.
Ontario Inventory	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory	On or in compliance with the inventory
Philippines PICCS	On or in compliance with the inventory
US TSCA Inventory	On or in compliance with the inventory
Australia AICS	On or in compliance with the inventory
Canada DSL Inventory List	On or in compliance with the inventory
New Zealand Inventory of Chemicals	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI)	On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date:	08/26/2020
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.