STRIKE BAC®

Disinfectant • Cleaner • Mildewstat (on hard, non-porous, inanimate surfaces) • *Virucide • Deodorizer GERMICIDAL CLEANER 1 OZ.

ACTIVE INGREDIENTS

1.628% 1.628% 1.628% 4.339% 89.150% 100.000%

urconscolusperson. If inhaled Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call appison control center of doctor for further treatment advice.

Yournay contact 18,00424,930 for energency medical treatment information.

NOTETOPHYSICIAN: Probable muosal chamage may combandiciate the use of gastric lavage.
See side panels for additional precautionary statements
EPA REG. NO.1839-166-37265

EPA REG. NO.1839-166-37265

EPA EST. NO. 37265-CA-01

NET CONTENTS: 5 GALLON (18.9 L)

Distributed By: **GENLABS** ar Avenue, Chino, CA 91710 - (909) 591-8451

Sinke Bac Germidal Cleaner I oz. is a phosphale-free, formulation designed to provide effective cleaning, decloraring, and distinction for hospitals, nutraing homes, schools, food service establishments, transportation terminals, office buildings, manufacturing lacities, bodging establishments, tetali business, and attelicitore action radities where trouses beepings of primer importance in controlling cross-contamination from retailed surfaces.

The Bac Germidal Cleaner I oz., when used as directed, is formulated to disinfed the ollowing bad non-porous inaminate environmental surfaces (floors, walls, metal surfaces, stainless steel surfaces, glazed proceding, glazed ceramic tile, plastic surfaces, varinty tops, stainless steel surfaces, glazed proceding.

DIRECTIONS FOR USE

BACTERIODAL ACTIVITY - At tes 1 cunes per gallon diution. Sinite Bac Germicials abby Cleaner 1 or demonstrates effective disinfectant activity paints it the organisms. Peaudomonas aeruginosa, Sammoella enteriora subso, enteriora serviciyos cholerassuis. Starbyloxoccus aurus (Starbyloxoccus aurus (Comparisms), Enteriorates describes a comparisms, enteriorates enteriorates describes enteriorates enteriorate

enterica subsp. enterica serotype typrimurium. Salmonella enterica subsp. enterica subsp. enterica subsp. enterica subsp. enterica subsp. serotype pullorum. Seriala marcoscorsis. Shigelia souriei. Shigelia flexienti Type 2b. Shigelia et al. Shigelia subsp. Shigelia et al. Shigelia et a

KILLS HIV-1, HIV-2, HBV, and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACESOBJECTS REVIOUSLY SOILED WITH BLOODISDOY FLUIDS in health care setting; Indeptable Manage Johnson or the restings in which there is an expedied illelihood of soling of naminate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be solded with blood or body fluids, and in which the potential for transmission of Human Immunodeficiency Vinas Type 1 and Type 2 (HIV-1 and 1-HIV-2) (associated with ADDS 1-Depathis Brins (HIV-1), and Horalise Civins (HIV-1).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, HBV, HBV 1-DEPATHS TO HIV-1 HBV 1-DEPATHS HIV-1

autobave dand disposed di according lobori leguiations for infectious waste disposal.

Strike Bac Gemicidal Cleaner 1 cz. 18 A 1059TAL USE BACTERIOIDE AND

VRRUCIDE AT 1 OUNICE PER GALLON (8 MILLILITERS PER LITER) (OR EQUIVALENT

USE DILL'ION), MODIFIEID IN THE PRESENCE OF 400 PPM HARD WATER AS CaCO,

GENERAL CLEANING Apply Sinke Go-emicidal Cleaner 1 cz. 100 add area with and
odh, sponge, hard jump tigger sprayer or low, pressure coarse sprayer. Sinke Bac

Gemicidal Cleaner 1 cz. can be diluted at 1 ounce paglino or applied at full streigth.

Throughly well solied surface and scrub as necessary.

DEODORIZATION - To deodonize, apply Strike Bac Germicidal Cleaner 1 oz. as indicated under the heading DISINFECTION.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, KEEP OUT OF REACH OF CHILDREN, CORROSIVE. Causes irversible eye damage and skin burns. Do not get in eyes, on skin or on oddning May be fatal if absorbed through skin. Harmful if swallowed. Wear goggles or face shied, hubber gloves, and protective obthing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and wheafer after handling and before eating, drinking, chewing gum, using lobacco, or using the tollet.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER HANDLING - Nomefilable container, Donot reuse or refill this container. Offer for recycling if available or pundure and dispose of in a sanitary leartifu, or by inchestion, or, in fallowed by site and local authorities, by brinnigh furners, stay out of smoke.

Triple insecontainer promptly after emptying, Triple insea as follows. Emply the remaining expenditure of a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 14 full with water and reap. Shake for 10 seconds after the flow expensits of drip, Repetitins procedure two more times.

To 10 seconds after the flow despits to drip. Repetitins procedure two more times.

FESTICIDE DISPOSAL. - Pesticide wastes are acutely hazardous. Improper disposal of 14 cases positioties, grayer mixture, or misate its a volution of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA mixture.